

HAPTIC

Measurement and evaluation of surface perception





Haptics from Latin: Visua

Haptics from Greek: Haptei = Touch

Latin: Visualis = Blonging to Seeing

Theory of the sense of touch, haptic perception by focusing the human as the element of interaction within various contact phases. (Reach & Touch)

- Differentiation between surface sensitactile perception

- And deeper sensibili-kinesthetic perception

- Feedback depending on structure, pressure, vibration, temperature, colours

Visual perception | Surface Sensitivity

- By receptors in the eye
- For fine perception of light




EVALUATION OF SURFACES

Requirements:

- High Reproducibility, in-situ micro tribology with High Local Resolution
- Qualitative and Quantitative test Methods

Determining Parameters:

- Topographic Parameters (2D and 3D)
- Topography-correlated, dynamic micro-friction coefficient (Profilometry, Microtribology)
- Kinetic energy adsorption (Damping, Viscoelasticity)
- Static/Dynamic Deformation behavior (Standard test, Micro hardness)







Haptic Study

Human physiology based panel study and quantitative haptic evaluation.

INNOWEP GmbH

- Wordwide supplier of finger abrasion and hand abrasion tester, **haptic and panel test service**, and complex material & surface property measuring systems.

INNOWEP is a global leader in design and manufacture of fingertip and hand abrasion testing machine and human physiology based haptic study.

Over the last 30 years, Innowep has been working closely with many industry leading companies, universities, research institutes and government agencies for product design, R&D and industrial standardization.

R&D of Surface Measuring and Testing Equipment:

- 2D/3D Surface Evaluation
- Micro Mechanical Analysis
- Microtribology
- Ageing of Surfaces
- Quality Control (QC)

Production of Testing Devices

Testing Laboratory

Worldwide Consultancy, Training and Distribution



PROBLEM-ORIENTED TEST ENGINEERING OF SURFACES



ABREX[®]

Human fingertip abrasion & hand abrasion tester with true simulation.

Universal Surface Tester with high local resolution for deformation, damping, topograpy, microfriction and many more.





TRACEIT[®]

Mobile 3D Optical Profilometer.

Dyna-SPA®

UST[®]

All-in-one tester for dynamic scratch, punch and abrasion.





UST® - SURFACE HAPTIC

Multi Parametric Test for Haptic Properties

How does the surface feel...? It happens in the brain. But the probe is the finger tip.

> Contact Force (High Dynamic Friction Properties, Stick , Slip, µ)

Surface Profile (Topography) Increasing Significance within Customized Surface and Material Design.


Materials Micro Mechanical Properties (Softness, Compressibility...)

Multi-Parametric

Necessity to obtain Standardizable Parameters



UST[®] - SURFACE HAPTIC Haptic MultiParameter Test



Four parameters for haptical measurement:

- 1 Standard Test
- 2 Microfriction




- 3 3D topography
- 4 Viscoelasticity & Creeping

Three tips with different geometries and materials:






PERCEPTION BY EYE



Micro Friction: Measuring in NaCl Solvent




PERCEPTION ON THE CHIN



Standard Measurement + Micro Friction




PERCEPTION INSIDE THE HUMAN BODY





Dyn. micro friction on measurement device with and without lubricant.



PERCEPTION IN THE MOUTH







Investigation of pills; Measurements - dry and wet